

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
7 September 2001 (07.09.2001)

PCT

(10) International Publication Number
WO 01/64525 A2

(51) International Patent Classification⁷: **B65D**

(21) International Application Number: PCT/IL01/00161

(22) International Filing Date: 20 February 2001 (20.02.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
134876 3 March 2000 (03.03.2000) IL

(71) Applicants and

(72) Inventors: **SZILAS, Gideon** [IL/IL]; 71 Mendes Street,
52653 Ramat Gan (IL). **BURSTEIN, Gavriel** [IL/IL]; 19
Horwitz Street, 75233 Rishon Le Zion (IL).

(74) Agent: **REINHOLD COHN AND PARTNERS**; P.O.Box
4060, 61040 Tel-Aviv (IL).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.


(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished
upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: DISPENSING CONTAINER



(57) Abstract: A kit and a container, the dispenser formed with at least two compartments separated from another where each compartment is formed with a dispensing opening. At least one of the at least two compartments is liquid-permeable and suited for holding a plurality of tissue soaked in a first liquefying agent and a second of the at least two compartments is suited for holding a plurality of dry wiping tissue.

WO 01/64525 A2

DISPENSING CONTAINER

FIELD OF THE INVENTION

The present invention is generally in the field of containers and more specifically it is concerned with a container for dispensing tissues of different types.

5 BACKGROUND OF THE INVENTION

Containers for dispensing tissues are widely used and are available at a large variety. Such containers are typically adapted for dispensing a dry or a wet/damp tissue through a dispensing opening of the container.

Tissues of the type typically dispensed from such containers are used for
10 cosmetics, personal care, household use (cleaning, disinfecting etc.) and for a variety of other applications.

A dispensing opening as used in the specification and as known in the art, is any type of opening through which a tissue towel may be extracted. However, it is advantageous to provide such containers with a dispenser suitable for
15 dispensing a single tissue at a time. Even more so, where wet flush damp tissues are concerned, it is often desired to incorporate a dispenser suitable for extracting excessive moisture from the dispensed tissue.

Dispensing containers and different openings and dispensers associated with such containers are disclosed, for example, in U.S. Patents Nos. 3,967,756,
20 5,501,323, 5,582,294, 5,704,471 and European Publications 331027, 744357 and 760343.

It is an object of the present invention to provide a dispensing container for dispensing at least a wet tissue and at least a dry tissue for complementary use.

- 2 -

SUMMARY OF THE INVENTION

In accordance with a first aspect of the present invention, there is provided a dispensing container comprising at least two compartments, at least one of which being liquid-impermeable for holding a plurality of tissues soaked in first
5 liquefying agent, and a second compartment for holding a plurality of dry wiping tissues; each compartment being formed with a dispensing opening.

By an embodiment of the invention one or more of the dispensing openings is fitted with a dispenser for dispensing a single tissue at a time.

In accordance with a specific embodiment, at least the liquid- impermeable
10 compartment is formed with a dispenser fitted with squeezing members adapted for extracting excessive moisture from the soaked tissues as they are pulled out of the compartment.

Preferably, at least the liquid-impermeable compartment is formed with a sealable dispenser.

15 By one specific design, the at least two compartments are integrally formed with one another. By a modification, the at least two compartments are attached to one another at mating surface portions thereof. Such attachment may be by heat-welding, adherence, various fixing means such as hook and pile fastener, VELCRO™etc.

20 By still a modification, the container is made of an essentially rigid material and wherein the at least two compartments are constituted by a partition wall within the container.

Alternatively, the at least two compartments may be replaceably received within respective receptacle portions of the container.

25 By a second aspect of the present invention, there is provided a kit comprising a container formed with at least two compartments separated from another where each compartment is formed with a dispensing opening; one of said at least two compartments being liquid-permeable and holds a plurality of tissue soaked in a first liquifying agent, a second of said at least two compartments holds
30 a plurality of dry wiping tissue.

- 3 -

In accordance with one embodiment of the second aspect of the invention, the dispensing opening of the compartments is fitted with a dispenser adapted for dispensing a single tissue at a time. By a modification thereof, the dispenser of at least the liquid-impermeable compartment comprises squeezing members for
5 extracting excessive moisture from the tissues as they are pulled out from the compartment.

By one particular example, the first treating agent is a surface-treating agent used for treating surfaces of various objects and where typically, after applying the first agent by the wet tissues, it is required to wipe the surface with a dry tissue.

10 BRIEF DESCRIPTION OF THE DRAWINGS

For better understanding the invention and to see how it may be carried out in practice, some embodiments will now be described, by way of non-limiting example only, with reference to the accompanying drawings, in which:

Fig. 1 is a representation of a container in accordance with a first
15 embodiment of the present invention, wherein each of two compartments are shown in an open, dispensing position;

Fig. 2 is another embodiment of a container in accordance with the present invention, the container is fitted with closable dispensing openings shown in their closed state; and

20 Fig. 3 is an embodiment illustrating a dispensing container made of a flexible material with the dispensing openings in their open position.

DETAILED DESCRIPTION OF A PREFERRED EMBODIMENT

The container 10 seen in Fig. 1 is a rigid structure made, for example, of a plastic material and comprises a first compartment 12 and a second
25 compartment 14 fixedly attached above said first compartment 12 at their mating surfaces. The compartments 12 and 14 may be integrally formed or may be separately formed and then attached to one another by known means such as, for example, by heat-welding, by adhering, by fixing means etc. The arrangement may

- 4 -

also be such that any compartment may be replaced by a new one once its contents have finished.

The first compartment 12 comprises a plurality of wet tissues 20 and a dispensing opening 24. Similarly, the second compartment 14 comprises a plurality
5 of tissues 26 being dry tissues, and being dispensable through a dispensing opening generally designated 28. In this embodiment, both compartments are liquid impermeable. However, the requirement is that at least the first compartment 12 be liquid impermeable.

Each of the dispensers 24 and 28 is of the type adapted for dispensing a
10 single tissue at the time, as known *per se* and are each provided with a closable cover 30 and 32 respectively.

At least opening 24 of first container 12 is fitted with moisture extracting lips 36 facing one another with a narrow gap therebetween, for extracting residual moisture from an extracted tissue 20.

15 One particular use of a container in accordance with the present invention, is for example a surface treating kit, wherein the first compartment 12 comprises a plurality of tissues 20 soaked in a surface treating agent e.g. cleaning agent, polishing agent, disinfecting agent, window cleaning agent, leather, wood or plastic treating agent, etc. In many such applications, after applying the active agent by
20 means of the wet tissue 20 it is required to wipe the treated surface by a dry tissue 26 which in accordance with the present invention is readily available.

One typical example of such a kit is a silicone surface treating agent useful for treating various surfaces, e.g. dashboards in vehicles, glass shields, working surfaces etc., whereby a short while after applying the silicone material, the surface
25 should be wiped by a dry cloth. Treating agents of the above type may be dust repelling agents, shining agents etc.

Another typical example is a personal care kit e.g. for use with infants, wherein the treating agent is a cleaning and skin treating agent used for cleaning the infant's secretions and the dry towel is used thereafter.

- 5 -

In the embodiment of Fig. 2 there is seen a dispensing container generally designated 40 comprising a first compartment 42 and a second compartment 44, both being sealably closed by suitable covers 48 and 50, respectively.

The embodiment of Fig. 2 is in particular useful for attaching over a
5 dashboard of a vehicle, etc., whereby the tissues (not shown in this embodiment) may be readily consumed.

By an embodiment of the invention, the dispensing openings may be sufficiently wide or may be openable for introducing fresh tissues.

Turning now to the embodiments seen in Fig. 3, there is a container
10 generally designated 60 comprising a first compartment 62 and a second compartment 64, both made of a laminated film, and being heat welded to one another along at least some corresponding mating portions, so as to construct a uniform structure.

At least the first compartment 62 is formed with a dispenser 66 having a
15 closure member 68 and adapted for dispensing a single wet tissue 70 at a time. The second compartment 64 is adapted for dispensing a dry tissue 72 as explained hereinabove.

By the same embodiment of the invention which has been exemplified, it will be understood that it is not intended thereby to limit the disclosure of the
20 invention, but rather it is intended to cover all modifications and arrangements falling within the scope and spirit of the present invention, *mutatis mutandis*.

- 6 -



CLAIMS:

1. A kit comprising a container formed with at least two compartments separated from another where each compartment is formed with a dispensing opening; at least one of said at least two compartments being liquid-permeable and
5 holds a plurality of tissue soaked in a first liquefying agent, a second of said at least two compartments holds a plurality of dry wiping tissue.
2. A kit according to claim 1, wherein the dispensing opening of the compartments is fitted with a dispenser adapted for dispensing a single tissue at a time.
- 10 3. A kit according to claim 2, wherein the dispenser of at least the liquid-impermeable compartment comprises squeezing members for extracting excessive moisture from the tissues as they are pulled out from the compartment.
4. A kit according to claim 1, wherein the first treating agent is a surface-treating agent.
- 15 5. A kit according to claim 4, wherein the after the first agent is applied it should be wiped with a dry tissue.
6. A dispensing container comprising at least two compartments, at least one of which being liquid-impermeable for holding a plurality of tissues soaked in first liquefying agent, and a second compartment for holding a plurality of dry wiping
20 tissues; each compartment being formed with a dispensing opening.
7. A dispensing container according to claim 6, wherein one or more of the dispensing openings is fitted with a dispenser for dispensing a single tissue at a time.
8. A dispensing container according to claim 7, wherein at least the
25 liquid-impermeable compartment is formed with a dispenser fitted with squeezing members adapted for extracting excessive moisture from the soaked tissues as they are pulled out of the compartment.
9. A dispensing container according to claim 7, wherein at least the liquid-impermeable compartment is formed with a sealable dispenser.

- 7 -

10. A dispensing container according to claim 6, wherein the at least two compartments are integrally formed with one another.
11. A dispensing container according to claim 6, wherein the at least two compartments are attached to one another at mating surfaces thereof.
- 5 12. A dispensing container according to claim 6, made of an essentially rigid material and wherein the at least two compartments are formed by a partition wall within the container.
13. A dispensing container according to claim 6, wherein the at least two compartments are replaceably received within receptacle portions of the container.

1/2



2/2




FIG.3

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
7 September 2001 (07.09.2001)

PCT

(10) International Publication Number
WO 01/64525 A3

(51) International Patent Classification⁷: **B65D 81/32**,
83/08, A47K 10/32

(21) International Application Number: PCT/IL01/00161

(22) International Filing Date: 20 February 2001 (20.02.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
134876 3 March 2000 (03.03.2000) IL

(71) Applicants and

(72) Inventors: SZILAS, Gideon [IL/IL]; 71 Mendes Street,
52653 Ramat Gan (IL). BURSTEIN, Gavriel [IL/IL]; 19
Horwitz Street, 75233 Rishon Le Zion (IL).

(74) Agent: REINHOLD COHN AND PARTNERS; P.O.Box
4060, 61040 Tel-Aviv (IL).

(81) Designated States (national): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,

DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).


Published:

— with international search report

(88) Date of publication of the international search report:
3 January 2002

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: DISPENSING CONTAINER



(57) Abstract: A kit and a container (10) the dispenser formed with at least two compartments (12, 14) separated from another where each compartment (12, 14) is formed with a dispensing opening (30, 32). At least one (19) of the at least two compartments (12, 14) is liquid-permeable and suited for holding a plurality of tissue (20) soaked in a first liquefying agent and a second (14) of the at least two compartments (12, 14) is suited for holding a plurality of dry wiping tissue (26).

WO 01/64525 A3

INTERNATIONAL SEARCH REPORT

Inte. onal Application No

PCT/IL 01/00161

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 B65D81/32 B65D83/08 A47K10/32

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 B65D A47K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 368 240 A (NAKAMURA KENJI) 16 May 1990 (1990-05-16) the whole document	1,2,6,7, 9-12
Y	---	3-5,8
Y	US 4 180 160 A (ESHIMA SEIJI ET AL) 25 December 1979 (1979-12-25) column 3, line 49 - line 63 claim 1	3,8
A	---	1,6
Y	US 4 790 436 A (NAKAMURA KENJI) 13 December 1988 (1988-12-13) column 8, line 17 - line 21	4,5
A	---	1,6,13
	-/--	



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *G* document member of the same patent family

Date of the actual completion of the international search

13 September 2001

Date of mailing of the international search report

21/09/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Schultz, O

INTERNATIONAL SEARCH REPORT

International Application No

PCT/IL 01/00161

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 803 249 A (HARSANYI JR STEVE ET AL) 8 September 1998 (1998-09-08) the whole document	1,4-6,12
Y	---	13
Y	US 5 439 104 A (WOLSKA-KLIS MARIOLA) 8 August 1995 (1995-08-08) column 6, line 14 - line 40 figures 3-6	13
A	-----	6

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/IL 01/00161

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0368240	A	16-05-1990	AT 117265 T	15-02-1995
			AU 609648 B	02-05-1991
			AU 4455589 A	31-05-1990
			CA 2002538 A,C	09-05-1990
			DE 68920701 D	02-03-1995
			DE 68920701 T	08-06-1995
			ES 2066825 T	16-03-1995
			HK 80295 A	01-06-1995
			JP 2103776 C	22-10-1996
			JP 3000664 A	07-01-1991
			JP 8009395 B	31-01-1996
			KR 9308918 B	17-09-1993
			SG 9590532 A	01-09-1995
			US 5048718 A	17-09-1991
			US 5161350 A	10-11-1992
US 4180160	A	25-12-1979	DE 2834423 A	22-02-1979
			DE 7823509 U	29-12-1983
			FR 2399825 A	09-03-1979
			GB 2002327 A,B	21-02-1979
			HK 8683 A	10-03-1983
			SG 57082 G	02-09-1983
US 4790436	A	13-12-1988	AT 50226 T	15-02-1990
			AU 593358 B	08-02-1990
			AU 7468587 A	24-12-1987
			CA 1292451 A	26-11-1991
			DE 3761649 D	15-03-1990
			EP 0251103 A	07-01-1988
			GR 3000455 T	28-06-1991
			HK 94594 A	16-09-1994
			JP 2074640 C	25-07-1996
			JP 7102868 B	08-11-1995
			JP 63152577 A	25-06-1988
			JP 2780931 B	30-07-1998
			JP 8113268 A	07-05-1996
			KR 9500593 B	26-01-1995
US 5803249	A	08-09-1998	NONE	
US 5439104	A	08-08-1995	NONE	